






Reel Name	POLE	Width /W	Pitch /P	Width /F	Width /BO	Qty. per reel	Qty. per carton
ZEDGRM-THR-5.08-REEL(32)	2~4	32mm	16mm	14.25mm	20.62mm	330	8
ZEDGRM-THR-5.08-REEL(56)	5~8	56mm	16mm	26.25mm	43.72mm	330	5
ZEDGRM-THR-5.08-REEL(88)	9~12	88mm	16mm	42.25mm	71.42mm	240	3

尺寸表 (General Dimension)(mm)											
0	<2.3	>2.3	>1.8	>30	>50	>80	>120	>180	>250	>315	>400
3	~	~	~	~	~	~	~	~	~	~	~
6	~	~	~	~	~	~	~	~	~	~	~
10	~	~	~	~	~	~	~	~	~	~	~
18	~	~	~	~	~	~	~	~	~	~	~
30	~	~	~	~	~	~	~	~	~	~	~
50	~	~	~	~	~	~	~	~	~	~	~
80	~	~	~	~	~	~	~	~	~	~	~
120	~	~	~	~	~	~	~	~	~	~	~
180	~	~	~	~	~	~	~	~	~	~	~
250	~	~	~	~	~	~	~	~	~	~	~
315	~	~	~	~	~	~	~	~	~	~	~
400	~	~	~	~	~	~	~	~	~	~	~
500	~	~	~	~	~	~	~	~	~	~	~
630	~	~	~	~	~	~	~	~	~	~	~
800	~	~	~	~	~	~	~	~	~	~	~
1000	~	~	~	~	~	~	~	~	~	~	~
1250	~	~	~	~	~	~	~	~	~	~	~
1600	~	~	~	~	~	~	~	~	~	~	~
2000	~	~	~	~	~	~	~	~	~	~	~
2500	~	~	~	~	~	~	~	~	~	~	~
3150	~	~	~	~	~	~	~	~	~	~	~
4000	~	~	~	~	~	~	~	~	~	~	~
5000	~	~	~	~	~	~	~	~	~	~	~
6300	~	~	~	~	~	~	~	~	~	~	~
8000	~	~	~	~	~	~	~	~	~	~	~
10000	~	~	~	~	~	~	~	~	~	~	~



ITEM	NAME OF PART	MATERIAL	NOTES
2	Pin	Copper	Sn Plated
1	Housing	LCP	UL94V-0

UL Standard:	UL Standard:
B	C
C	D

EC Standard:	IEC Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2

UL Standard:	UL Standard:
320/20	4.0
5.08/N=02~12P	-40~+130

UL Standard:	UL Standard:
III/3	III/2
III/2	II/2